

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(creat\$10 or generat\$10) with (play\$2list or (play list)) and 707/1,3,4,5,7,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L2	0	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second) and (preference) and (time OR event) and 707/1,3,4,5,7,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L3	0	((creat\$10 or generat\$10) NEAR10 (play\$2list or (play list))) and (first same second) and (preference) and (time OR event) and 707/1,3,4,5,7,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L4	0	((creat\$10 or generat\$10) NEAR10 (play\$2list or (play list))) and (first same second same (set or sub\$2set or seed)) and (user NEAR10 preference) and (user same (time and event and action) same (creat\$10 or Generat\$10)) and 707/1,3,4,5,7,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L5	0	(creat\$10 or generat\$10) same ((first or second) NEAR5 (play\$2list or (play list))) and (preference same (behavior or history or past or action)) and 707/1,3,4,5,7,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L6	1	"10597277"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L7	2	"20030191753"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L8	2	"6526411".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L9	4625	((creat\$10 or generat\$10) with (play\$2list or (play list))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L10	3121	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L11	1280	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second) and (preference)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L12	556	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second) and (preference) and (time same event)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L13	86	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second) and (preference) and (time same event same action)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L14	71	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (list or preference or parameter)) and (preference) and (time same event same action)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L15	12	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (list or preference or parameter)) and (preference) and (time same event same action) and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L16	10	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (set or sub \$2set)) and (preference) and (time same event same action) and cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L17	491	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (set or sub \$2set or seed)) and (preference) and (user same (time OR event OR action) same (creat\$10 or Generat\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L18	179	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (set or sub \$2set or seed)) and (preference) and (user same (time and event and action) same (creat\$10 or Generat\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L19	154	((creat\$10 or generat\$10) NEAR10 (play\$2list or (play list))) and (first same second same (set or sub \$2set or seed)) and (user NEAR10 preference) and (user same (time and event and action) same (creat\$10 or Generat\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L20	8	((creat\$10 or generat\$10) NEAR10 (play\$2list or (play list))) and (first same second same (set or sub \$2set or seed)) and (user NEAR10 preference) and (user same (time and event and action) same (creat\$10 or Generat\$10) with (play\$2list or (play list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L21	1470	((creat\$10 or generat\$10) with (play\$2list or (play list))) and (first same second same (play\$2list or (play list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L22	759	(creat\$10 or generat\$10) same (first same second same (play\$2list or (play list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L23	102	(creat\$10 or generat\$10) same ((first or second) NEAR5 (play\$2list or (play list))) and (preference same (behavior or history or past or action))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L24	98	(creat\$10 or generat\$10) same ((first or second) NEAR5 (play\$2list or (play list) same (set or sub \$2set))) and (preference same (behavior or history or past or action))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L25	305	(creat\$10 or generat\$10) NEAR5 (play\$2list or (play list)) and ((filter\$10 or sort \$10 or rank\$10) same preference)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L26	1105	((creat\$10 or generat\$10) NEAR5 (play\$2list or (play list))).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L27	231	((creat\$10 or generat\$10) NEAR5 (play\$2list or (play list)) and (set or sub \$2set)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L28	12	((creat\$10 or generat\$10) NEAR5 (play\$2list or (play list)) and (set or sub \$2set) and first and second).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L29	26	((creat\$10 or generat\$10) NEAR5 (play\$2list or (play list)) and (set or sub \$2set) and (preference or behavior)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L30	134	(filter\$10 with (user with preference)) and ((creat \$10 or generat\$10) NEAR5 (play\$2list or (play list)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L31	3	((("20040089141") or ("20030191753") or ("6526411")).PN.	US-PGPUB; USPAT	OR	OFF	2010/03/10 20:05

L32	1	L31 and (chang\$10 or modif\$10) with (preference or parameter or interest or artist or favorite)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L33	187	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 list	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L34	7	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 (play\$2list)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L35	113	stor\$10 NEAR5 first NEAR2 (play\$2list)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L36	163	stor\$10 NEAR5 first NEAR5 (play\$2list)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L37	1	stor\$10 NEAR5 first NEAR2 (play\$2list) with (temp\$12)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L38	545	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 (result)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L39	6	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 (result) with (temp\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L40	0	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 (search\$10 NEAR5 result) with (temp \$10 or buffer\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L41	20	stor\$10 NEAR5 first NEAR2 (sub\$2set or set) NEAR10 (search\$10 NEAR5 result)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L42	20	stor\$10 NEAR5 (first or Generic or general) NEAR2 (sub\$2set or set) NEAR10 (search\$10 NEAR5 result)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L43	1563	search\$10 and (rank\$10 or sort\$10 or evaluat\$10) same (freque\$10 with (access\$10 or visit\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L44	325	search\$10 and (rank\$10 or sort\$10 or evaluat\$10) same (freque\$10 with (access\$10 or visit\$10)) and ((number or measure) NEAR10 requests)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L45	47	search\$10 same (rank\$10 or sort\$10 or evaluat\$10) same (freque\$10 with (access\$10 or visit\$10)) and ((number or measure) NEAR10 requests)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L46	4	((("20050071328") or ("20060064411") or ("20060136589") or ("20030055831")).PN.	US-PGPUB; USPAT	OR	OFF	2010/03/10 20:05
L47	3	L46 and (freque\$10 with (visit\$10 or access\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L48	0	L46 and (freque\$10 with (visit\$10 or access\$10)) and ((number with request \$10) or hot\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L49	1	L46 and (freque\$10 with (visit\$10 or access\$10)) and ((number with click \$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L50	0	(rank\$10 with HIT\$10 with number\$10) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L51	0	(rank\$10 with (result) with HIT\$10 with number \$10) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L52	0	(rank\$10 with (result) with (HIT\$4 or access\$5 or visit\$10) NEAR10 number\$10) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L53	0	(rank\$10 with (result) with (access\$5 or request\$10) NEAR4 number\$10) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L54	0	(rank\$10 with (site or page or document) with (access\$5 or request\$10) NEAR4 number\$10) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L55	32	"6,547,829"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L56	9	("20030195940" "20040204983" "20050131935" "20060069663" "20060294052" "6272492" "6546388" "6658423" "6658432"). PN.	US-PGPUB; USPAT	ADJ	ON	2010/03/10 20:05
L57	2	L46 and (frequ\$10 with (visit\$10 or access\$10)) and popul\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L58	2336	((frequ\$10 with (visit\$10 or access\$10) same (preference or personal \$13))) and popul\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L59	0	((frequ\$10 with (visit\$10 or access\$10) same (preference or personal \$13))) and popular\$10 and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

L60	3	L46 and popul\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L61	5	((("20050071328") or ("20060064411") or ("20060136589") or ("20030055831") or ("6421675")).PN.	US-PGPUB; USPAT	OR	OFF	2010/03/10 20:05
L62	2	L61 and (frequ\$10 with (visit\$10 or access\$10 or click\$10)) and popul\$12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L63	4	L61 and popul\$12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L64	0	((frequ\$10 with (visit\$10 or access\$10) same (preference or personal \$13))) and (popular\$10 with (vist\$10 or access \$10)) and 707/3,7.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L65	0	L61 frequ\$10 and popul \$12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05
L66	4	L61 and frequ\$10 and popul\$12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/10 20:05

EAST Search History (Interference)

< This search history is empty >

3/ 10/ 2010 8:15:06 PM**C:\ Documents and Settings\ yzhao\ My Documents\ EAST\ Workspaces\ 10597277.wsp**